




James
LOUDSPEAKER
PRODUCT CATALOGUE
SEPTEMBER 1, 2007

The Grand Symphonic series offers an audiophile soundstage unmatched in the industry. Receiving rave reviews from the professionals and, most important, satisfying educated listeners worldwide.



Black cloth grills.
Black or platinum Trim.
Gold binding post.

James' patented Adjustable Frequency Distribution Circuit (AFDC), the world's first and only continuously variable speaker output frequency equalizer. Benefits include adjustability to your environment, compatibility, and reliability.



Finishes available in maple, cherry veneer and black. Custom finishes available and quoted individually.



S103

Three Way Tower.

(1) 10" Woofer, (1) 6.5" Mid-range
(1) 1" Dome Tweeter. Patented AFDC.



specifications

SIZE 43"h x 12.125"w x 12.125"d
WEIGHT 77 lbs
FREQ RESPONSE 35-20 khz +/- 2dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 92dB @ 1 watt @ 1 meter
POWER REQ. 50 - 300 Watts RMS

msrp

\$2495.00 ea - studio black
\$2895.00 ea - cherry or maple veneer

S83

2-Way LCR Bookshelf.

(2) 8" Woofers, (1) 8" Internal Passive Radiator w/Dual Radial Ports
(1) 1" Dome Tweeter. Patented AFDC.



specifications

SIZE 29.75"h x 10.06"w x 10.06"d
WEIGHT 47 lbs
FREQ RESPONSE 45-20 khz +/- 2dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 300 Watts RMS

msrp

\$1395.00 ea - studio black
\$1795.00 ea - cherry or maple veneer

S82

2-Way LCR Bookshelf.

(1) 8" Woofers, (1) 8" Internal Passive Radiator w/Dual Radial Ports
(1) 1" Dome Tweeter. Patented AFDC.



specifications

SIZE 20"h x 10.06"w x 10.06"d
WEIGHT 32 lbs
FREQ RESPONSE 45 - 20 khz +/- 2dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 300 Watts RMS

msrp

\$995.00 ea - studio black
\$1295.00 ea - cherry or maple veneer

S63

2-Way LCR.

(2) 6.5" Woofers
(1) 1" Dome Tweeter. Patented AFDC.



specifications

SIZE 22"h x 8.75"w x 9"d
WEIGHT 32 lbs
FREQ RESPONSE 50-20 khz +/- 2dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 200 Watts RMS

msrp

\$895.00 ea - studio black
\$1195.00 ea - cherry or maple veneer

S62

2-Way Bookshelf.

(1) 6.5" Woofers
(1) 1" Dome Tweeter. Patented AFDC.



specifications

SIZE 15"h x 8.75"w x 9"d
WEIGHT 26 lbs
FREQ RESPONSE 50-20 khz +/- 2dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 200 Watts RMS

msrp

\$795.00 ea - studio black
\$1095.00 ea - cherry or maple veneer

S33

2-Way LCR

(2) 3" long throw, neodymium full range woofers, and (1) 1" neodymium tweeter.



specifications

SIZE 11.25"h x 4"w x 4"d
WEIGHT 6 lbs
FREQ RESPONSE 80-22 khz +/- 2dB
CROSSOVER FDC 6dB / Octave - Fixed
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 300 Watts RMS

msrp

\$395.00 ea - studio black
\$595.00 ea - cherry or maple veneer

S32

2-Way Bookshelf.

(1) 3" long throw, neodymium full range woofers,
(1) 1" neodymium tweeter.



specifications

SIZE 7.25" x 4" x 4"
WEIGHT 4 lbs
FREQ RESPONSE 80-22 khz +/- 3dB
CROSSOVER FDC 6dB / Octave - Fixed
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 100 Watts RMS

msrp

\$295.00 ea - studio black
\$395.00 ea - cherry or maple veneer

James Loudspeaker products are renowned in the audio industry for exceptional sound. Now you can enjoy that great James sound and have it custom tailored to fit your plasma display and home decor. Every Plasma Series speaker we sell is custom sized and painted to match YOUR plasma display regardless of manufacturer. Custom veneers are available. Ensuring your installation is as impressive as it sounds.



PL35CS

(3) 3" High Excursion, Full Range Drivers
(2) 1" Neodymium Soft Dome tweeters



specifications

SIZE 18"-48"h x 4"w x 4"d
FREQ RESPONSE 80-22 khz +/- 3dB
CROSSOVER FDC 6dB / Octave - Fixed
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 100 Watts RMS

msrp

\$2395.00 - studio black
\$2995.00 - custom

PL36CS

(4) 3" High Excursion, Full Range Drivers
(2) 1" Neodymium Soft Dome Tweeter



specifications

SIZE 22" - 60"h x 4"w x 4"d
FREQ RESPONSE 80-22 khz +/- 3dB
CROSSOVER FDC 6dB / Octave - Fixed
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 100 Watts RMS

msrp

\$2695.00 - studio black
\$3295.00 - custom

PL39

(8) 3" High Excursion, Full Range Drivers
(1) 1" Neodymium Soft Dome Tweeter



specifications

SIZE 4"h X 36" - 96"w X 4"d
FREQ RESPONSE 80-22 khz +/- 3dB
CROSSOVER FDC 6dB / Octave - Fixed
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 150 Watts RMS

msrp

\$1995.00 - studio black
\$2595.00 - custom



PL39LCR

(6) 3" High Excursion, Full Range Drivers
(3) 1" Neodymium Soft Dome Tweeter

specifications

SIZE 4"h X 36" - 96"w X 4"d
FREQ RESPONSE 80-22 khz +/- 3dB
CROSSOVER FDC 6dB / Octave - Fixed
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 100 Watts RMS

msrp

\$1995.00 - studio black
\$2595.00 - custom

EMB4000RP

(4) 10" Internal Active Woofer
(4) 10" Passive Radiator Sealed MDF Enclosure
Model Six Amplifier



specifications

SIZE 48"h x 12.125"w x 11.625"d
WEIGHT 100 lbs
FREQ RESPONSE 18hz -120 hz +/- 3dB
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 685 Watts Model 6 Amp

msrp

\$6995.00 ea - studio black
\$7495.00 ea - cherry or maple veneer



James Loudspeaker's EMB subwoofers are renowned for their exceptionally high output, ultra low distortion and linear frequency response. Now EMB subwoofers are available in four passive models together with James' Model Six, 685 watt, rack-mountable power amplifier. Designers and installers will appreciate the flexibility of smaller enclosures and no need to run 120 volt power to the subwoofer locations. Tuning and adjusting the system is easy with the centrally located Model Six subwoofer amplifier. Dual subwoofers are often the answer for optimum in room performance. Dual Passive EMB Systems are available as a cost effective solution. One Model Six amplifier will operate up to two EMB1000PS or EMB1200PS Models.

EMB1000

(1) 10" Internal Active Driver and
(1) 10" Passive Radiator. Sealed MDF enclosure.
1000 Watt Hybrid Amplifier.

specifications

SIZE 12.5"h x 12"w x 14.25"d
WEIGHT 41 lbs
FREQ RESPONSE 25-120 hz +/- 2dB
POWER REQ. 1000 Watts RMS

msrp

\$1495.00 ea - studio black
\$1695.00 ea - cherry or maple veneer

EMB1200

(1) 12" Internal Active Driver and
(1) 12" Passive Radiator. Sealed MDF enclosure.
1200 Watt Hybrid Amplifier.

specifications

SIZE 15.5"h x 15"w x 18"d
WEIGHT 70 lbs
FREQ RESPONSE 20-120 hz +/- 2dB
POWER REQ. 1200 Watts RMS

msrp

\$1995.00 ea - studio black
\$2195.00 ea - cherry or maple veneer

EMB1500

(1) 15" Internal Active Driver and
(1) 15" Passive Radiator. Sealed MDF enclosure.
1500 Watt Hybrid Amplifier.

specifications

SIZE 19"h x 18.5"w x 18.5"d
WEIGHT 95 lbs
FREQ RESPONSE 18-100 hz +/- 2dB
POWER REQ. 1500 Watts RMS

msrp

\$2495.00 ea - studio black
\$2695.00 ea - cherry or maple veneer

EMB1000PS

(1) 10" Internal Active Driver and
(1) 10" Passive Radiator.

specifications

SIZE 12.125"h x 12.125"w x 11.625"d
WEIGHT 30 lbs
FREQ RESPONSE 25-120 hz +/- 2dB
POWER REQ. 500 Watts RMS

msrp

\$995.00 ea - studio black
\$1195.00 ea - cherry or maple veneer

EMB1200PS

(1) 12" Internal Active Driver and
(1) 12" Passive Radiator

specifications

SIZE 15"h x 15"w x 15"d
WEIGHT 38 lbs
FREQ RESPONSE 20-120 hz +/- 2dB
POWER REQ. 500 Watts RMS

msrp

\$1495.00 ea - studio black
\$1695.00 ea - cherry or maple veneer

EMB1000RP

(1) 10" Internal Active Driver and
(1) 10" Passive Radiator., Model 6 Amplifier

specifications

SIZE 12.125"h x 12.125"w x 11.625"d
WEIGHT 30 lbs
FREQ RESPONSE 25-120 hz +/- 2dB
POWER REQ. 685W Amp

msrp

\$1695.00 ea - studio black
\$1895.00 ea - cherry or maple veneer

EMB1200RP

12" Subwoofer, Model 6 Amplifier

specifications

SIZE 15"h x 15"w x 15"d
WEIGHT 38 lbs
FREQ RESPONSE 20-120 hz +/- 2dB
POWER REQ. 685W Amp

msrp

\$2195.00 ea - studio black
\$2395.00 ea - cherry or maple veneer

EMB1500RP

(1) 15" Internal Active Driver and
(1) 15" Passive Radiator, Model 6 Amplifier

specifications

SIZE 18.5"h x 18.5"w x 15.5"d
WEIGHT 60 lbs
FREQ RESPONSE 18-100 hz +/- 2dB
POWER REQ. 685W Amp

msrp

\$2695.00 ea - studio black
\$2895.00 ea - cherry or maple veneer



CINEMA 10

10" Subwoofer

specifications

SIZE 12.5"h x 12"w x 14.25"d
WEIGHT 34 lbs
FREQ RESPONSE 30-150 hz +/- 3dB
POWER REQ. 750W Amp

msrp

\$795.00 ea - studio black
\$995.00 ea - cherry or maple veneer

CINEMA 12

12" Subwoofer

specifications

SIZE 15.5"h x 15"w x 18"d
WEIGHT 60 lbs
FREQ RESPONSE 25-120 hz +/- 3dB
POWER REQ. 1000W Amp

msrp

\$995.00 ea - studio black
\$1195.00 ea - cherry or maple veneer

CINEMA 15

12" Subwoofer


specifications

SIZE 19"h x 18.5"w x 18.5"d
WEIGHT 89 lbs
FREQ RESPONSE 20-100 hz +/- 3dB
POWER REQ. 1250W Amp

msrp

\$1295.00 ea - studio black
\$1495.00 ea - cherry or maple veneer


The Centergy Series is a Discreet Dual Monaural Center Channel System. Centergy Series solves the center channel speaker placement compromise with no-compromise performance.



Enclosure construction crafted from 5052 Aircraft Aluminum ensuring minimal acoustic internal resonance.

James centergy technology.

James' patented Adjustable Frequency Distribution Circuit (AFDC), the world's first and only continuously variable speaker output frequency equalizer. Benefits include adjustability to your environment, compatibility, and reliability.



Eliminate the need for a third separate center channel speaker. Two Centergy speakers play as three.



Black Cloth

Custom Paint

White Paintable

White Cloth

"FX" Flush Mount



84C SSDX

2-Way Dual Monaural.

(2) 8" Woofer
(2) 1" Dome Tweeter. AFDC.
Sealed Aircraft Aluminum Enclosure.

GRAND CENTERGY specifications

3-Way Dual Monaural.
(2) 10" Subwoofer
(4) 8" Woofer
(2) 1" Dome Tweeter. AFDC.
Sealed Aircraft Aluminum Enclosure.

SIZE 75.625"h x 18"w x 3.875"d
WEIGHT 95 lbs
FREQ RESPONSE 27-20 khz +/- 3dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 300 Watts RMS

msrp
\$19,995.00 PAIR

specifications

SIZE 32.875"h x 11.5"w x 3.875"d
WEIGHT 26 lbs
FREQ RESPONSE 45-20 khz +/- 3dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 200 Watts RMS

msrp
\$3995.00 PAIR

CENTERGY SERIES - DUAL MONAURAL

64CSSDX

2-Way Dual Monaural.

- (2) 6.5" Woofer
 - (2) 1" Dome Tweeter. AFDC.
- Sealed Aircraft Aluminum Enclosure.



specifications

SIZE 24.5"h x 9.25"w x 3.875"d
WEIGHT 29 lbs
FREQ RESPONSE 50-20 khz +/- 3dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 200 Watts RMS

msrp

\$3195.00 PAIR

64CSFX

2-Way Dual Monaural. Flush Mount..

- (2). 6.5" Woofer
 - (2) 1" Dome Tweeter. AFDC.
- Sealed Aircraft Aluminum Enclosure.



specifications

SIZE 28.07"h x 9.77"w x 3.5"d
WEIGHT 20 lbs
FREQ RESPONSE 55-22 khz +/- 3dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 200 Watts RMS

msrp

\$3195.00 PAIR

35CSFX

2-Way Dual Monaural. Flush Mount..

- (3) 3" Neodymium Woofer
 - (2) 1" Dome Tweeter. FDC.
- Sealed Aircraft Aluminum Enclosure.



specifications

SIZE 24.5"h x 6.5"w x 3.5"d
WEIGHT 10 lbs
FREQ RESPONSE 80-22 khz +/- 3dB
CROSSOVER FDC 6dB / Octave - Fixed
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 100 Watts RMS

msrp

\$2495.00 PAIR

210SDXP

In-Wall Subwoofer

- (1) 10" Subwoofer (1) 10" Radiator.
- Sealed Aircraft Aluminum Enclosure.
Model Six Amplifier.




specifications

SIZE 32.625"h x 18"w x 3.875"d
WEIGHT 36 lbs
FREQ RESPONSE 22-140hz
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. Model Six Amp

msrp

\$2595.00 ea



210SDX

In-Wall Subwoofer

- (1) 10" Subwoofer (1) 10" Radiator.
- Sealed Aircraft Aluminum Enclosure.


msrp

\$1895.00 ea

110SDXP

In-Wall Subwoofer

- (1) 10" Subwoofer
- Sealed Aircraft Aluminum Enclosure.
Model Six Amplifier.




specifications

SIZE 18"h x 18"w x 3.875"d
WEIGHT 23 lbs
FREQ RESPONSE 27 - 140 hz +/- 3dB
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. Model Six Amp

msrp

\$2195.00 ea



110SDX

In-Wall Subwoofer

- (1) 10" Subwoofer
- Sealed Aircraft Aluminum Enclosure.

msrp

\$1495.00 ea

SDX SERIES - SHALLOW DEPTH IN-WALL SUBWOOFERS

Black Cloth

Custom Paint

White Paintable

White Cloth

Enclosure construction crafted from 5052 Aircraft Aluminum ensuring minimal acoustic internal resonance.

James' patented Adjustable Frequency Distribution Circuit (AFDC), the world's first and only continuously variable speaker output frequency equalizer. Benefits include adjustability to your environment, compatibility, and reliability.

GRAND CONCERTO

3-Way BiAmp Shallow Depth In-Wall.

(2) 10" Woofer (4) 8" Woofer
(1) 1" Dome Tweeter. AFDC
Model 6 Amplifier.

Sealed Aircraft Aluminum Enclosure.

specifications

SIZE 75.625"h x 18"w x 3.875"d

WEIGHT 76 lbs

FREQ RESPONSE 27-20 khz +/- 3dB

CROSSOVER AFDC 6dB / Octave - Variable

IMPEDANCE 8 Ohms

SENSITIVITY 90dB @ 1 watt @ 1 meter

POWER REQ. 50 - 300 Watts RMS

msrp

\$8995.00 ea

BABY GRAND

3-Way BiAmp Shallow Depth In-Wall.

(1) 10" Neodymium Woofer
(2) 8" Woofer
(1) 1" Dome Tweeter. AFDC.
Model 6 Amplifier.
Sealed Aircraft Aluminum Enclosure.



specifications

SIZE 43.75"h x 18"w x 3.875"d

WEIGHT 46 lbs

FREQ RESPONSE 27-20 khz +/- 3dB

CROSSOVER AFDC 6dB / Octave - Variable

IMPEDANCE 8 Ohms

SENSITIVITY 90dB @ 1 watt @ 1 meter

POWER REQ. 50 - 300 Watts RMS


msrp

\$7995.00 pair

85SDX

2-Way LCR Shallow Depth In-Wall.

(4) 8" Woofer
(1) 1" Dome Tweeter. AFDC.
Sealed Aircraft Aluminum Enclosure.



specifications

SIZE 51.125"h x 11.5"w x 3.875"d

WEIGHT 40 lbs

FREQ RESPONSE 45-20 khz +/- 3dB

CROSSOVER AFDC 6dB / Octave - Variable

IMPEDANCE 8 Ohms

SENSITIVITY 90dB @ 1 watt @ 1 meter

POWER REQ. 50 - 300 Watts RMS

msrp

\$2495.00 ea

83SDX

2-Way LCR Shallow Depth In-Wall.

(2) 8" Woofer
(1) 1" Dome Tweeter. AFDC.
Sealed Aircraft Aluminum Enclosure.



specifications

SIZE 32.875"h x 11.5"w x 3.875"d

WEIGHT 26 lbs

FREQ RESPONSE 45-20 khz +/- 3dB

CROSSOVER AFDC 6dB / Octave - Variable

IMPEDANCE 8 Ohms

SENSITIVITY 90dB @ 1 watt @ 1 meter

POWER REQ. 50 - 300 Watts RMS

msrp

\$1695.00 ea

SDX SERIES - SHALLOW DEPTH IN-WALL

James Loudspeakers' Concerto SDX Series establishes a new industry standard for in-wall speaker systems. These speakers offer a no compromise built-in solution for the finest home theater and music systems. You won't believe your ears as the aural performance rivals the best freestanding systems, even our own.

82SDX

2-Way LCR Shallow Depth In-Wall.

(1) 8" Woofer
(1) 1" Dome Tweeter. AFDC.
Sealed Aircraft Aluminum Enclosure.



specifications

SIZE 17.625"h x 11.5"w x 3.875"d
WEIGHT 23 lbs
FREQ RESPONSE 45-20 khz +/- 3dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 300 Watts RMS

msrp
\$1395.00 ea

63SDX

2-Way LCR Shallow Depth In-Wall.

(2) 6.5" Woofer
(1) 1" Dome Tweeter. FDC.
Sealed Aircraft Aluminum Enclosure.



specifications

SIZE 24.5"h x 9.25"w x 3.875"d
WEIGHT 29 lbs
FREQ RESPONSE 50-20 khz +/- 3dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 89dB @ 1 watt @ 1 meter
POWER REQ. 50 - 200 Watts RMS

msrp
\$1295.00 ea

62SDX

2-Way Shallow Depth In-Wall.

(1) 6.5" Woofer
(1) 1" Dome Tweeter. FDC.
Sealed Aircraft Aluminum Enclosure.



specifications

SIZE 17"h x 9.25"w x 3.875"d
WEIGHT 17 lbs
FREQ RESPONSE 50-20 khHz +/- 3dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 89dB @ 1 watt @ 1 meter
POWER REQ. 50 - 200 Watts RMS

msrp
\$1095.00 ea

33SDX

2-Way LCR Shallow Depth In-Wall.

(2) 3" Neodymium Woofer
(1) 1" Dome Tweeter. FDC.
Sealed Aircraft Aluminum Enclosure.



specifications

SIZE 13.5"h x 5.5"w x 3.875"d
WEIGHT 8 lbs
FREQ RESPONSE 80-22 khHz +/- 3dB
CROSSOVER FDC 6dB Fixed
IMPEDANCE 8 Ohms
SENSITIVITY 88dB @ 1 watt @ 1 meter
POWER REQ. 50 - 100 Watts RMS

msrp
\$595.00 ea



32SDX

2-Way LCR Shallow Depth In-Wall.

(1) 3" Neodymium Woofer
(1) 1" Dome Tweeter. FDC.
Sealed Aircraft Aluminum Enclosure.

specifications

SIZE 9.625"h x 5.5"w x 3.875"d
WEIGHT 6 lbs
FREQ RESPONSE 80-22 khz +/- 3dB
CROSSOVER FDC 6dB Fixed
IMPEDANCE 8 Ohms
SENSITIVITY 88dB @ 1 watt @ 1 meter
POWER REQ. 50 - 100 Watts RMS

msrp
\$495.00 ea

36SDX

2-Way Bipole Shallow Depth In-Wall.

(4) 3" Neodymium Woofer
(2) 1" Dome Tweeter.
Sealed Aircraft Aluminum Enclosure.



specifications

SIZE 18"h x 18"w x 3.875"d
WEIGHT 20 lbs
FREQ RESPONSE 80-20 khHz +/- 3dB
CROSSOVER FDC 6dB / Octave - Fixed
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 200 Watts RMS

msrp
\$1695.00 ea

Flush mount paintable grille
to match any surface finish.



Enclosure construction
crafted from 5052 Aircraft
Aluminum ensuring minimal
acoustic internal resonance.

Air-tight sealed enclosure,
3.5" - 3.75" depth.

James' patented Adjustable
Frequency Distribution Circuit
(AFDC), the world's first and only
continuously variable speaker
output frequency equalizer.
Benefits include adjustability
to your environment,
compatibility, and reliability.



FX SPEAKERS INCLUDE:

James proprietary neodymium drivers
AFDC circuit
Fully sealed enclosures
Aircraft grade aluminum construction
Paintable flush metal grill
Handcrafted in the US

83FX

2-Way LCR Flushmount.

(2) 8" Neodymium Woofer
(1) 1" Dome Tweeter. FDC.
Sealed Aircraft Aluminum Enclosure.



specifications

SIZE 27.7"h x 11.2"w x 3.75"d
WEIGHT 18 lbs
FREQ RESPONSE 40-20 khz +/- 3dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 300 Watts RMS

msrp
\$1695.00 ea

82FX

2-Way LCR Flushmount

(1) 8" Neodymium Woofer
(1) 1" Dome Tweeter. FDC.
Sealed Aircraft Aluminum Enclosure.



specifications

SIZE 18.13"h x 11.2"w x 3.75"d
WEIGHT 13 lbs
FREQ RESPONSE 45-20 khz +/- 3dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 300 Watts RMS

msrp
\$1395.00 ea

65FX

2-Way LCR Flushmount

(4) 6.5" Neodymium Woofer
(1) 1" Dome Tweeter. FDC.
Sealed Aircraft Aluminum Enclosure.



specifications

SIZE 40.23"h x 9.77"w x 3.5"d
WEIGHT 29 lbs
FREQ RESPONSE 38-20 khz +/- 3dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 300 Watts RMS

msrp
\$1795.00 ea

FX SERIES - FLUSH MOUNT IN-WALL

63FX

2-Way LCR Flushmount

(2) 6.5" Neodymium Woofer
(1) 1" Dome Tweeter. FDC.



specifications

SIZE 25.57" h x 9.77" w x 3.5" d
WEIGHT 16 lbs
FREQ RESPONSE 50-20 khz +/- 3dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 200 Watts RMS

msrp

\$1295.00 ea

62FX

2-Way LCR Flushmount

(1) 6.5" Neodymium Woofer
(1) 1" Dome Tweeter. FDC.
Sealed Aircraft Aluminum Enclosure.



specifications

SIZE 17.07" h x 9.77" w x 3.5" d
WEIGHT 11 lbs
FREQ RESPONSE 50-20 khz +/- 3dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 200 Watts RMS

msrp

\$1095.00 ea

35FX

2-Way LCR Shallow Depth In-Wall.

(4) 3" Neodymium Woofer
(1) 1" Dome Tweeter. FDC.
Sealed Aircraft Aluminum Enclosure.



specifications

SIZE 24.5" h x 6.5" w x 3.5" d
WEIGHT 8 lbs
FREQ RESPONSE 55-22 khz +/- 3dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 200 Watts RMS

msrp

\$1195.00 ea

33FX

2-Way LCR Shallow Depth In-Wall.

(2) 3" Neodymium Woofer
(1) 1" Dome Tweeter. FDC.
Sealed Aircraft Aluminum Enclosure.

specifications

SIZE 12.25" h x 5.5" w x 3.5" d
WEIGHT 6 lbs
FREQ RESPONSE 80-22 khz +/- 3dB
CROSSOVER FDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 100 Watts RMS

msrp

\$595.00 ea

32FX

2-Way LCR Shallow Depth In-Wall.

(1) 3" Neodymium Woofer
(1) 1" Dome Tweeter. FDC.
Sealed Aircraft Aluminum Enclosure.

specifications

SIZE 8.5" h x 5.5" w x 3.5" d
WEIGHT 4 lbs
FREQ RESPONSE 80-22 khz +/- 3dB
CROSSOVER FDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 100 Watts RMS

msrp

\$495.00 ea

FEATURES: 2.5" total depth

Enclosure construction crafted from 5052 Aircraft Aluminum ensuring minimal acoustic internal resonance.

James proprietary, 6.5" ultra thin woofer.



specifications

SIZE 13.75" h x 9.875" w x 2.5" d
WEIGHT 7 lbs
FREQ RESPONSE 55-22 khz +/- 3dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 25 - 150 Watts RMS

msrp


\$447.00 ea



62ASX

2-Way LCR Ultra Slim Depth-Inwall

(1) 6.5" Neodymium Woofer
(1) 1" Dome Tweeter. FDC.
Sealed Aircraft Aluminum Enclosure.



ULTRA THIN SERIES

31CS

Ceiling Speaker

(1) 1" Long Throw
Neodymium Woofer. FDC.



specifications

SIZE 4.125" w x 5" d
WEIGHT 1 lbs
FREQ RESPONSE 80-15 khz +/- 3dB
CROSSOVER FDC 6dB / Octave - Fixed
IMPEDANCE 8 Ohms
SENSITIVITY 88dB @ 1 watt @ 1 meter
POWER REQ. 50 - 100 Watts RMS

msrp
\$145.00 ea

James Loudspeaker has raised industry standards once again. The new James' Ceiling Series feature the same breakthrough technology found in our renowned freestanding and in-wall systems. Sealed spun aluminum enclosures, patented AFDC equalization, pivoting tweeters and slimline drivers all add up to ceiling speakers that are SECOND TO NONE!



James' patented Adjustable Frequency Distribution Circuit (AFDC), the world's first and only continuously variable speaker output frequency equalizer. Benefits include adjustability to your environment, compatibility, and reliability.

Flush mount paintable grille to match any surface finish.



62CS

2-Way ceiling speaker

(1) 6.5" Neodymium Woofer
(1) 1" Neodymium Tweeter. FDC.



specifications

SIZE 13.25 x 7.25" d
WEIGHT 14 lbs
FREQ RESPONSE 50-22 khz +/- 3dB
CROSSOVER AFDC 6dB / Octave - Variable
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 200 Watts RMS

msrp
\$995.00 ea

62CFX

Ceiling Speaker

(1) 6.5" Neodymium Woofer
(1) 1" Pivoting Tweeter. FDC.



specifications

SIZE 9.168 x 3.875" d
WEIGHT 7 lbs
FREQ RESPONSE 80-20 khz +/- 3dB
CROSSOVER FDC 6dB / Octave - Fixed
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter

msrp
\$447.50 ea

110CSP

Ceiling Subwoofer

(1) 10" Subwoofer
Model Six Amplifier.



specifications

SIZE 13.25 x 7.25" d
WEIGHT 16 lbs
FREQ RESPONSE 27-140 hz +/- 3dB
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. Model 6 Amp

msrp
\$2095.00 ea



110CS

Ceiling Subwoofer

(1) 10" Subwoofer

msrp
\$1395.00 ea

FX CEILING SERIES - FLUSH MOUNT IN-CEILING

The PowerPipe architectural port option is the perfect solution for entertainment system cabinetry, in-ceiling, in-closet, adjoining room, under the floor, or any other location you dream up.



1000PPT

Built-in 10" Subwoofer, Model 6 Amplifier

specifications

SIZE 12"h x 12"w x 11"d

WEIGHT 30 lbs

FREQ RESPONSE 25-120 hz +/- 3dB

IMPEDANCE 8 Ohms

SENSITIVITY 90dB @ 1 watt @ 1 meter

POWER REQ. Model 6 Amplifier

msrp

\$2595.00 ea



Custom architectural ports available and quoted individually.



1200PPT

Built-in Subwoofer Model 6 Amplifier

specifications

SIZE 15"h x 15"w x 15"d

WEIGHT 38 lbs

FREQ RESPONSE 20-120 hz +/- 3dB

IMPEDANCE 8 Ohms

SENSITIVITY 90dB @ 1 watt @ 1 meter

POWER REQ. Model 6 Amplifier


msrp

\$3495.00 ea



Flexible tube allows for multiple port placement options.

Rubber support straps suspend the PowerPipe between rafters, thus eliminating vibrations.



1000PP

Built-in 10" Subwoofer, Model 6 Amplifier

specifications

SIZE 12"h x 12"w x 11"d

WEIGHT 30 lbs

FREQ RESPONSE 25-120 hz +/- 3dB

IMPEDANCE 8 Ohms

SENSITIVITY 90dB @ 1 watt @ 1 meter

POWER REQ. Model 6 Amplifier

msrp

\$2295.00 ea

1200PP

Built-in Subwoofer Model 6 Amplifier

specifications

SIZE 15"h x 15"w x 15"d

WEIGHT 38 lbs

FREQ RESPONSE 20-120 hz +/- 3dB

IMPEDANCE 8 Ohms

SENSITIVITY 90dB @ 1 watt @ 1 meter

POWER REQ. Model 6 Amplifier

msrp

\$3195.00 ea



POWERPIPE SERIES



Malibu Satellite
Available in sand, verde, bronze,
pewter, copper, black



Subwoofer blends
seamlessly into landscape.

**James' Landscape Series
offers you precise audio
performance for the
outdoor environment with
an unlimited choice of
installation configurations.
Sound that doesn't just
reach you...it carries you.**

James landscape products offer
nearly limitless choice of
installation configurations.



109GS

Landscape System

70V expansion
8 Satellite Speakers
Distribution Hub
Subwoofer Options:
101R Rock Subwoofer
101STP Subterranean
101T Planter

specifications

FREQ RESPONSE 20hz -16 khz +/- 3dB
CROSSOVER FDC 6dB / Octave - Fixed
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 500W 70V

msrp

\$6995.00ea

109GSP

Landscape System

Satellite Speakers
600W Amp 70V
DSP Unit
Distribution Hub
Subwoofer Options:
101R Rock Subwoofer
101STP Subterranean
101T Planter

specifications

FREQ RESPONSE 20hz -16 khz +/- 3dB
CROSSOVER FDC 6dB / Octave - Fixed
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 500W 70V

msrp

\$8495.00ea

109GS8

Landscape System

8 Satellite Speakers
Model 6 Amplifier
Subwoofer Options:
101R Rock Subwoofer
101STP Subterranean
101T Planter

specifications

FREQ RESPONSE 20hz -16 khz +/- 3dB
CROSSOVER FDC 6dB / Octave - Fixed
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. Model Six Amp

msrp

\$4995.00ea

LANDSCAPE SERIES



32TS

2-way indoor/outdoor
solid teakwood cabinet
stainless steel grill

specifications

SIZE 7.375"h x 4.125"w x 4.5"d

WEIGHT 3 lbs

FREQ RESPONSE 80-22 khz +/- 3dB

CROSSOVER FDC 6dB / Octave - Fixed

IMPEDANCE 8 Ohms

SENSITIVITY 90dB @ 1 watt @ 1 meter

POWER REQ. 25 - 100 Watts RMS

msrp

\$395.00



33TS

2-way indoor/outdoor
solid teakwood cabinet
stainless steel grill

specifications

SIZE 11.25"h x 4.125"w x 4.5"d

WEIGHT 4.5 lbs

FREQ RESPONSE 80-22 khz +/- 3dB

CROSSOVER FDC 6dB / Octave - Fixed

IMPEDANCE 8 Ohms

SENSITIVITY 90dB @ 1 watt @ 1 meter

POWER REQ. 25 - 100 Watts RMS

msrp

\$495.00

33TS70

2-way indoor/outdoor
70V version of 33TS

msrp

\$695.00 ea

32TS70

2-way indoor/outdoor
70V version of 32TS

msrp

\$595.00 ea

101TP

Planter Subwoofer
Solid teakwood / Marine grade plywood enclosure
10" woofer
Model 6 Amplifier

specifications

DIMENSIONS SIZE 20.75"h x 20.75"w x 20.75"d

WEIGHT 60 lbs

FREQ RESPONSE 25 - 140 hz +/- 3dB

IMPEDANCE 8 Ohms

SENSITIVITY 90dB @ 1 watt @ 1 meter

POWER REQ. Model Six Amp

msrp

\$2795.00



101T70

2-way indoor/outdoor
70V version of 101TP
amplifier not included

msrp

\$2495.00

101RP

Rock Subwoofer
10" woofer
Model 6 Amplifier

specifications

SIZE 25"h x 26"w x 20"d

WEIGHT 40 lbs

FREQ RESPONSE 25-140 hz +/- 3dB

IMPEDANCE 8 Ohms

SENSITIVITY 90dB @ 1 watt @ 1 meter

POWER REQ. Model Six Amp

msrp

\$2795.00




101R70

Rock Subwoofer
10" woofer
70V version of 101RP
amplifier not included

msrp

\$2495.00



101STP

Subterranean Subwoofer
10" woofer
Model 6 Amplifier

specifications

SIZE 14.25"h x 10.875"w x 18.25"d

WEIGHT 38 lbs

FREQ RESPONSE 25-140 hz +/- 3dB

IMPEDANCE 8 Ohms

SENSITIVITY 90dB @ 1 watt @ 1 meter

POWER REQ. Model Six Amp

msrp

\$2795.00



101ST70

Subterranean Subwoofer
10" woofer
70V version of 101TP
amplifier not included

msrp

\$2495.00



custom ports available
and quoted individually



103T

3-way Planter
Solid teakwood / Marine grade plywood enclosure
10" woofer
8" Horn
1" tweeter

specifications

DIMENSIONS SIZE 20.75"h x 20.75"w x 20.75"d
WEIGHT 60 lbs
FREQ RESPONSE 45 -20 khz +/- 3dB
CROSSOVER FDC 6dB / Octave - Fixed
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 50 - 300 Watts RMS

msrp

\$2495.00 ea

103T70

2-way indoor/outdoor
70V version of 103TP

msrp

\$2495.00 ea



310DS

Malibu Satellite
Available in sand, verde, bronze,
pewter, copper, black

specifications

SIZE 4" diameter x 6"d
WEIGHT 2 lbs
FREQ RESPONSE 100hz-16 khz +/- 3dB
CROSSOVER FDC 6dB / Octave - Fixed
IMPEDANCE 8 Ohms
SENSITIVITY 90dB @ 1 watt @ 1 meter
POWER REQ. 25 - 100 Watts RMS

msrp

\$199.00 ea

310DS70

Malibu Satellite
Available in sand, verde, bronze,
pewter, copper, black
70V version of 310DS

msrp

\$245.00 ea

LANDSCAPE SERIES

ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

30 Harlow Court
Napa, CA 94558
707.265.6343

www.jamesloudspeaker.com
sales@jamesloudspeaker.com

James
LOUDSPEAKER
PRODUCT CATALOGUE